

Recomendación Basada en Contexto

IIC 3633 - Sistemas Recomendadores - PUC Chile

Denis Parra

Profesor Asistente, DCC, PUC Chile

Memo del Semestre

- **Tarea 1:** Deadline este Jueves 8 de Septiembre.
- **Fechas de comentarios de blogs:** Ya fueron actualizadas en el sitio web del curso.

Week	Fecha semana	Clase Martes	Clase Jueves	Presentador 1	Presentador 2	Presentador 3
I	2 - 4 Ago	Intro + CF	CF + Clustering			
II	9 - 11 Ago	CF item-based	Slope One + RecSys			
III	16 - 18 Ago	Evaluacion de RecSys	Evaluacion de RecSys			
IV	23 - 25 Ago	Content-based	Tag-based			
V	30 Ag - 1 Sept	Hybrid	Factorizacion Matricial			
VI	6 - 8 Sept	Context-aware RecSys	Implicit Feedback			
VII	13 - 15 Sept	student presentation (Context, MF)	RECSYS Conf	V. Dominguez	J. Schellman	P. Lopez
VIII	20 - 22 Sept	RECSYS Conf	student presentation (IF, MF)	F. Lucchini	V. Claro	V. Castillo
IX	27 - 29 Sept	Presentaciones: Proy. Final	Presentaciones: Proy. Final			
X	4 - 6 Oct	User-centric RecSys/Interfaces	student presentation	J. Lee	C. Kutscher	R. Carmona
XI	11 - 13 Oct	Active Learning/Ranking	student presentation	F. Rojos	J. Navarro	N. Morales
XII	18 - 20 Oct	Graph-based	student presentation	P. Messina	S. Martí	J. Castro
XIII	25 - 27 Oct	Applications: Social/Trust/Music	student presentation	J.M. Herrera	V. Dragicevic	L. Zorich
XIV	1 - 3 Nov	Applications: POI/Tourism	student presentation	I. Becker	T. Hepner	M. Troncoso
XV	8 - 10 Nov	Applications: Educ/Soft.Eng.	student presentation	R. Perez	P. Sanabria	J. Diaz
XVI	15 - 17 Nov	Deep Learning	student presentation	Felipe del Río	L. Pose	G. Sepulveda
XVII	29 Nov - 1 Dic	Presentacion Final	Presentacion Final			

Contexto

Un factor importante a considerar al realizar recomendaciones



Definiciones I

- Primeras definiciones basadas más bien en ejemplos.
- En uno de los estudios más tempranos sobre contexto, Shilit et al. (1994) identifica como contexto:
 - Dónde estás (where you are),
 - Con quién estás (who you are with), y
 - Qué recursos hay alrededor (what resources are nearby.)

Definiciones II

- Dey (2001) intenta formalizar la definición de contexto para volverla más fácilmente operable como:

Context is any information that can be used to characterise the situation of an entity.

An entity is a person, place, or object that is considered relevant to the interaction between a user and an application, including the user and applications themselves

ref: Anind K. Dey. 2001. Understanding and Using Context. Personal Ubiquitous Comput. 5, 1 (January 2001), 4-7.
DOI=<http://dx.doi.org.ezproxy.puc.cl/10.1007/s007790170019>

Definiciones III

- En un trabajo más reciente, Ranganathan & Campbell (2003) identificaron: "...context denotes additional information to what is traditionally represented in a user model, such as:"
 - demographics or interests, and refers to "physical contexts (e.g., location, time),
 - environmental contexts (weather, light and sound levels),
 - informational contexts (stock quotes, sports scores),
 - personal contexts (health, mood, schedule, activity),
 - social contexts (group activity, social activity, whom one is in a room with),
 - application contexts (emails, websites visited) and
 - system contexts (network traffic, status of printers)"

Definiciones IV

- Como es de esperarse, un contexto considerado "relevante" varía bastante según el área:
 - Marketing: Contexto es definido como las etapas de vida que caracterizan al cliente ya que pueden determinar un cambio importante en sus preferencias, estado y valor para las compañías:
 - nuevo trabajo,
 - nacimiento de un hijo,
 - casamiento, divorcio, jubilación.
- Personalización en e-commerce
 - Intento de compra, Palmisano et al. (2008), construir distintos perfiles de usuario dependiendo del contexto.
 - Sistemas context-aware móviles y ubicuos: ubicación, fecha, estación (Brown et al. 1997, 2005) temperatura y estado emocional.

Cómo obtener información contextual

- **Explícitamente:** Encuestas
- **Implicitamente:** Información de dispositivos (hora, ubicación, temperatura, etc)
- **Infiriendo:** e.g. distintos usuarios que está viendo películas con la misma cuenta de movie city (Naïve Bayes o redes Bayesianas, Palmisano et al. 2008)

Contexto en Sistemas de Recomendación

- Observable / Parcialmente / No Observable
- Estático / Dinámico

How Contextual Factors Change	Knowledge of the RS about the Contextual Factors		
	Fully Observable	Partially Observable	Unobservable
Static	Everything Known about Context	Partial and Static Context Knowledge	Latent Knowledge of Context
Dynamic	Context Relevance Is Dynamic	Partial and Dynamic Context Knowledge	Nothing Is Known about Context

Figure 1. Contextual Information Dimensions.

ref: Adomavicius, G., Mobasher, B., Ricci, F., & Tuzhilin, A. (2008) Context-Aware Recommender Systems. AAAI Magazine.

Paradigmas para Incorporar Contexto

Pre-Filtrado / Post-Filtrado / Modelado Contextual




Figure 2. Paradigms for Incorporating Context in Recommender Systems.

Caso de Pre-filtrado

- Baltrunas, L., & Amatriain, X. (2009, October). Towards time-dependant recommendation based on implicit feedback. In Workshop on context-aware recommender systems (CARS'09)




Figure 1: Last.fm data information







Figure 2: Rating distribution for the data set.

Caso de Pre-filtrado: Evaluación

- Baltrunas, L., & Amatriain, X. (2009, October). Towards time-dependant recommendation based on implicit feedback. In Workshop on context-aware recommender systems (CARS'09)

#users	338
#tracks	322871
#artists	16904
#entries	1970029
#ratings (after normalization)	143091
average mean repetition of a track for a user	3.09
average mean repetition of an artist for a user	19.87

Table 1: Summary of the data set



Caso de Post-Filtrado: Sharing the Square

- Sharing the Square (2005)

Sharing the square: Collaborative Leisure in the City Streets

Barry Brown¹, Matthew Chalmers¹, Marek Bell¹, Malcolm Hall¹, Ian MacColl², Paul Rudman¹

¹Department of Computing Science, University of Glasgow, Glasgow, UK ²School of IT and Engineering, University of Queensland, Brisbane, Australia

Abstract. Sharing events with others is an important part of many enjoyable experiences. While most existing co-presence systems focus on work tasks, in this paper we describe a lightweight mobile system designed for sharing leisure. This system allows city visitors to share their experiences with others both far and near, through tablet computers that share photographs, voice and location. A collaborative filtering algorithm uses historical data of previous visits to recommend photos, web pages and places to visitors, bringing together online media with the city's streets. In an extensive user trial we explored how these resources were used to collaborate around physical places. The trial demonstrates the value of technological support for *sociability* - enjoyable shared social interaction. Lastly, the paper discusses support for collaborative photography, and the role history can play to integrate online media with physical places.

Caso de Post-Filtrado: Sharing the Square

- Sharing the Square (2005): Interfaz e Interacción




Figure 1. Example usage of the system and screenshot showing a map that displays each user's location (1), thumbnail photos (2), recommended locations, web pages (3) and photos (4), and each user's recommendation list (5).


Caso de Post-Filtrado: Sharing the Square

- Databases: Adaptar resultados de las bases de datos dependiendo del contexto: Stephanidis (2007), Agrawal (2006), and Mokbel's CareDB (2009)

Query 2 Look for Mary's most preferable restaurants (in the current context).

The execution of Query 2 leads to the e: the following subqueries (we suppose that $CS(\{Acropolis, sunny\})$):

- ```
SELECT R.name, FL.score
FROM Users U, Restaurants R, Fact_Location L
WHERE U.name = 'Mary' AND U.uid
AND R.rid = FL.rid AND L.lid = F
current_location = 'Acropolis';
and
```
- ```
SELECT R.name, FW.score
FROM Users U, Restaurants R, Fact_Weather FW
WHERE U.name = 'Mary' AND U.uid = FW.uid AND
R.rid = FW.rid AND current_weather = 'sunny';
```




Sistema donde Contexto es parte del Modelo

- Karatzoglou, A., Amatriain, X., Baltrunas, L., & Oliver, N. (2010, September). **Multiverse recommendation: n-dimensional tensor factorization for context-aware collaborative filtering.** In Proceedings of the fourth ACM conference on Recommender systems (pp. 79-86). ACM.


FM Tradicional

Find $U \in R^{n \times d}$ and $M \in R^{d \times m}$ so that $F = UM$

minimize $_{U,M} L(F, Y) + \lambda \Omega(U, M)$



Matriz -> Tensor



$$F_{ijk} = S \times_U U_{i*} \times_M M_{j*} \times_C C_{k*}$$

$$R[U, M, C, S] := L(F, Y) + \Omega[U, M, C] + \Omega[S]$$

$$\Omega[F] = \lambda_M \|M\|_F^2 + \lambda_U \|U\|_F^2 + \lambda_C \|C\|_F^2$$

$$\Omega[S] := \lambda_S \|S\|_F^2$$

Función de Pérdida

- Opción 1: Cuadrado del Error

$$l(f, y) = \frac{1}{2}(f - y)^2$$

$$L(F, Y) = \sum_i^n \sum_j^m l(f_{ij}, y_{ij})$$

- Opción 2: Error Absoluto

$$l(f, y) = |f - y|$$

$$L(F, Y) = \sum_i^n \sum_j^m l(f_{ij}, y_{ij})$$

Datasets / Evaluación

$$MAE = \frac{1}{K} \sum_{ijk}^{n,m,c} D_{ijk} |Y_{ijk} - F_{ijk}|$$

Data set	Users	Movies	Context Dim.	Ratings	Scale
Yahoo!	7642	11915	2	221K	1-5
Adom.	84	192	5	1464	1-13
Food	212	20	2	6360	1-5


Table: Data set statistics

Comparación con Otros Métodos


Pre-filtering based approach, (*G. Adomavicius et.al*), computes recommendations using *only* the ratings made in the same context as the target one

Item splitting method (*L. Baltrunas, F. Ricci*) which identifies items which have significant differences in their rating under different context situations.

Con/Sin Contexto



(a)



(b)

Figure: Comparison of matrix (no context) and tensor (context) factorization on the Adom and Food data.

Con/Sin Contexto II





Figure: Comparison of context-aware methods on the Yahoo! artificial data

Influencia de Información Contextual



Efecto en Otros Datatsets




Figure: Comparison of context-aware methods on the Adom data.





Figure: Comparison of context-aware methods on the Food data.

Caso de Estudio Modelado Contextual II



Linas Baltrunas, Bernd Ludwig, Stefan Peer, and Francesco Ricci. 2012. **Context relevance assessment and exploitation in mobile recommender systems**. Personal Ubiquitous Comput. 16, 5 (June 2012), 507-526. DOI=10.1007/s00779-011-0417-x

Rescate de Preferencias del Usuario

[\(user:ciccio\)logout](#)



Imagine that you are in Bolzano and you are making a plan for today. You are considering **to relax in a spa**. Please mark the conditions that would positively or negatively influence the decision to do that, or would have no effect.


		No effect	
Imagine that you are on a wellness trip:	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Imagine that it is a cold day:	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Imagine that it is raining:	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

[next...](#)

Situation 1 of 5

Rating in Context

Castel Flavon - Haselburg



Category: castle

Introduction: Castel Flavon Haselburg nestles on a wooded hill slightly above Haslach, a quarter of the city of Bolzano. Built in late 12th century, still today it boasts some valuable frescoes.

Description: Castel Flavon Haselburg nestles on a wooded hill slightly above Haslach, a quarter of the city of Bolzano. Built in late 12th century, still today it boasts some valuable frescoes. It was recently renovated and the restaurant is open again. Address: Via Castel Flavon 48 Phone:0471 402130 Email: info@haselburg.it www: www.haselburg.it Opening hours: Tuesday-Saturday 11am-12pm, Sunday 11am-5pm, Monday closed.

Imagine you are in Bolzano and you are making plan for today

How likely is that you will visit Castel Flavon - Haselburg ★ ★ ★ ★ ☆

We want to know which circumstances influence your decision

Imagine that you are sad. How likely is that you will visit Castel Flavon - Haselburg: ★ ★ ★ ★ ☆

Imagine that you feel comfortable and happy. How likely is that you will visit Castel Flavon - Haselburg: ★ ★ ★ ★ ★

Imagine that you can only use public transport. How likely is that you will visit Castel Flavon - Haselburg: ★ ★ ★ ★ ☆

[Next](#)

Contextos Usados

Table 1 Context factors used in the web survey

Context factor	Conditions	Context factor	Conditions	Context factor	Conditions	Context factor	Conditions
Budget	Budget traveler	Crowdedness	Not crowded	Companion	With girl/ boyfriend	Season	Spring
	High spender		Crowded		With family		Summer
Time of the day	Price for quality	Travel goal	Empty	Weather	With children	Transport	Autumn
	Morning time		Health care		Alone		Winter
	Afternoon		Cultural experience		With friends		Public transport
	Night time		Scenic/landscape		Snowing		No means of transp.
Day of the week	Weekend	Working day	Education	Mood	Clear sky	Temperature	Bicycle
	Working day		Hedonistic/fun		Sunny		Car
Distance to POI	Near by	Far away	Social event	Activity/sport	Rainy	Time available	Warm
	Far away		Religion		Cloudy		Cold
Knowledge About area	New to city	Citizen of the city	Activity/sport	Visiting friends	Happy	Time available	Hot
	Citizen of the city		Business		Active		Half day
	Returning visitor		Business		Sad		More than a day
							One day

Opciones de la interfaz I



Opciones de la interfaz II



Fig. 9 Details for a suggestion

Opciones de la interfaz III






Fig. 8 Suggestions GUI

Resultados



(a) MAE of different models



(b) Precision and Recall of different methods

Fig. 6 Performance of different methods

Okapi Linas' Library

- <http://baltrunas.info/research-menu/okapi>

Linas

Baltrunas home page

[HOME](#) [RESEARCH](#) [CV](#) [PERSONAL](#)

You are here: [Home](#) ▶ [Research](#) ▶ [Okapi](#)

PROJECTS


PH.D. THESIS

FRAPPE

LIST OF PUBLICATIONS

[OKAPI](#)

Okapi



The **Okapi** /ou'ka:pi:/, is a giraffid mammal and also a young Collaborative Ranking framework (<http://grafos.ml>) that runs on [apache giraph](#). So why is the name? Well, it is ugly and crosses giraffe with zebra. Zebra likes coffee and has a rank.

The main features, goals and reasons for this framework are:

- Written in Java, therefore, accessible for a large audience
- Distributed, "large scale ready" computing. It runs on giraph with a quite simple implementation model. When giraph will advance, this framework will be able to run on large scale datasets.

Otro casos interesantes:

- Best paper ACM RecSys 2015: Augusto Q. Macedo, Leandro B. Marinho, and Rodrygo L.T. Santos. 2015. **Context-Aware Event Recommendation in Event-based Social Networks**. In Proceedings of the 9th ACM Conference on Recommender Systems (RecSys '15). ACM, New York, NY, USA, 123-130. DOI=<http://dx.doi.org/10.1145/2792838.2800187>
 - Slides: <http://www.slideshare.net/leandrobaby/recsys15-presentation>
- Paper a presentar en RecSys 2016: Christoph Trattner, Alexander Oberegger, Lukas Eberhard, Denis Parra and Leandro Balby Marinho. 2016. **Understanding the Impact of Weather for POI Recommendations**. ACM RecSys Workshop on Recommenders in Tourism. <http://www.ec.tuwien.ac.at/rectour2016/accepted-papers/>

Referencias

- Anind K. Dey. 2001. Understanding and Using Context. Personal Ubiquitous Comput. 5, 1 (January 2001), 4-7. DOI=<http://dx.doi.org.ezproxy.puc.cl/10.1007/s007790170019>
- Adomavicius, G., Mobasher, B., Ricci, F. , & Tuzhilin, A. (2008) Context-Aware Recommender Systems. AAAI Magazine.
- Augusto Q. Macedo, Leandro B. Marinho, and Rodrygo L.T. Santos. 2015. **Context-Aware Event Recommendation in Event-based Social Networks**. In Proceedings of the 9th ACM Conference on Recommender Systems (RecSys '15). ACM, New York, NY, USA, 123-130. DOI=<http://dx.doi.org/10.1145/2792838.2800187>
- Christoph Trattner, Alexander Oberegger, Lukas Eberhard, Denis Parra and Leandro Balby Marinho. 2016. **Understanding the Impact of Weather for POI Recommendations**. ACM RecSys Workshop on Recommenders in Tourism