

Recomendación Basada en Contexto

IIC 3633 - Sistemas Recomendadores - PUC Chile

Denis Parra

Profesor Asistente, DCC, PUC Chile

Memo del Semestre

- Sitio web fue actualizado. Presentaciones de estudiantes ya definidas, serán anunciadas las fechas la próxima clase.

	Semana	Martes	Jueves	Enunciados	Deadlines/controles	Lecturer
3-ago	0		Intro (Blog) + UB CF			
8 y 10 ago	1	CF item-based (Vicente)	Slope One (Vicente)	Tarea 1		VICENTE
15 y 17 ago	2	feriado virgencita	Factorizacion Matricial			
22 y 24 ago	3	Evaluacion de RecSys	Implicit Feedback			
29 y 31 ago	4	Practico Tarea (Ivania)	Content-based (Ivania)		Deadline tarea	IVANIA
5 y 7 sept	5	Resumen RecSys + Híbridos	Intro proyect y practico content-based			
12 y 14 sept	6	Context-aware RecSys	Maquinas de Factorizacion	Enunciado Proyecto final		
19 y 21 sept	7	feriado fiestas patrias	Practico Maquinas de Factorizacion			
26 y 28 de sept	8	Presentacion:Proy final	Presentacion:Proy final			
3 y 5 de oct	9	User-centric RecSys/Interfaces	student presentation		FEEDBACK 1	VICENTE
10 y 12 de oct	10	Active Learning/Ranking	student presentation			
17 y 19 oct	11	Graph-based	student presentation		Informe de avance	
24 y 26 oct	12	Deep-Learning	student presentation		FEEDBACK 2	
31 oct y 2 nov	13	Learning to Rank	student presentation			
7 y 9 nov	14	Aplicaciones / Trust / Ethics	student presentation			
14 y 16 nov	15	LIBRE PARA PROYECTO FINAL			informe final	
Vi 24 de Nov	16	Exámenes (Presentaciones finales)	Exámenes (Presentaciones finales)			

Contexto

Un factor importante a considerar al realizar recomendaciones



Definiciones I

- Primeras definiciones basadas más bien en ejemplos.
- En uno de los estudios más tempranos sobre contexto, Shilit et al. (1994) identifica como contexto:
 - Dónde estás (where you are),
 - Con quién estás (who you are with), y
 - Qué recursos hay alrededor (what resources are nearby.)

Definiciones II

- Dey (2001) intenta formalizar la definición de contexto para volverla más fácilmente operable como:

Context is any information that can be used to characterise the situation of an entity.

An entity is a person, place, or object that is considered relevant to the interaction between a user and an application, including the user and applications themselves

ref: Anind K. Dey. 2001. Understanding and Using Context. Personal Ubiquitous Comput. 5, 1 (January 2001), 4-7. DOI=<http://dx.doi.org.ezproxy.puc.cl/10.1007/s007790170019>

Definiciones III

- En un trabajo más reciente, Ranganathan & Campbell (2003) identificaron: "...context denotes additional information to what is traditionally represented in a user model, such as:"
 - demographics or interests, and refers to "physical contexts (e.g., location, time),
 - environmental contexts (weather, light and sound levels),
 - informational contexts (stock quotes, sports scores),
 - personal contexts (health, mood, schedule, activity),
 - social contexts (group activity, social activity, whom one is in a room with),
 - application contexts (emails, websites visited) and
 - system contexts (network traffic, status of printers)"

Definiciones IV

- Como es de esperarse, un contexto considerado "relevante" varía bastante según el área:
 - Marketing: Contexto es definido como las etapas de vida que caracterizan al cliente ya que pueden determinar un cambio importante en sus preferencias, estado y valor para las compañías:
 - nuevo trabajo,
 - nacimiento de un hijo,
 - casamiento, divorcio, jubilación.
- Personalización en e-commerce
 - Intento de compra, Palmisano et al. (2008), construir distintos perfiles de usuario dependiendo del contexto.
 - Sistemas context-aware móviles y ubicuos: ubicación, fecha, estación (Brown et al. 1997, 2005) temperatura y estado emocional.

Cómo obtener información contextual

- **Explícitamente:** Encuestas
- **Implicitamente:** Información de dispositivos (hora, ubicación, temperatura, etc)
- **Infiriendo:** e.g. distintos usuarios que está viendo películas con la misma cuenta de movie city (Naïve Bayes o redes Bayesianas, Palmisano et al. 2008)

Contexto en Sistemas de Recomendación

- Observable / Parcialmente / No Observable
- Estático / Dinámico

How Contextual Factors Change	Knowledge of the RS about the Contextual Factors		
	Fully Observable	Partially Observable	Unobservable
Static	Everything Known about Context	Partial and Static Context Knowledge	Latent Knowledge of Context
Dynamic	Context Relevance Is Dynamic	Partial and Dynamic Context Knowledge	Nothing Is Known about Context

Figure 1. Contextual Information Dimensions.

ref: Adomavicius, G., Mobasher, B., Ricci, F. , & Tuzhilin, A. (2008) Context-Aware Recommender Systems. AAAI Magazine.

Paradigmas para Incorporar Contexto

Pre-Filtrado / Post-Filtrado / Modelado Contextual




Figure 2. Paradigms for Incorporating Context in Recommender Systems.

Caso de Pre-filtrado

- Baltrunas, L., & Amatriain, X. (2009, October). Towards time-dependant recommendation based on implicit feedback. In Workshop on context-aware recommender systems (CARS'09)





Figure 1: Last.fm data information






Caso de Pre-filtrado: Evaluación


- Baltrunas, L., & Amatriain, X. (2009, October). Towards time-dependant recommendation based on implicit feedback. In Workshop on context-aware recommender systems (CARS'09)

#users	338
#tracks	322871
#artists	16904
#entries	1970029
#ratings (after normalization)	143091
average mean repetition of a track for a user	3.09
average mean repetition of an artist for a user	19.87

Table 1: Summary of the data set



(a) True error E



(b) Cross-validation

Caso de Post-Filtrado: Sharing the Square

- Sharing the Square (2005)

Sharing the square: Collaborative Leisure in the City Streets

Barry Brown¹, Matthew Chalmers¹, Marek Bell¹, Malcolm Hall¹, Ian MacColl², Paul Rudman¹

¹Department of Computing Science, University of Glasgow, Glasgow, UK ²School of IT and Engineering, University of Queensland, Brisbane, Australia

Abstract. Sharing events with others is an important part of many enjoyable experiences. While most existing co-presence systems focus on work tasks, in this paper we describe a lightweight mobile system designed for sharing leisure. This system allows city visitors to share their experiences with others both far and near, through tablet computers that share photographs, voice and location. A collaborative filtering algorithm uses historical data of previous visits to recommend photos, web pages and places to visitors, bringing together online media with the city's streets. In an extensive user trial we explored how these resources were used to collaborate around physical places. The trial demonstrates the value of technological support for *sociability* - enjoyable shared social interaction. Lastly, the paper discusses support for collaborative photography, and the role history can play to integrate online media with physical places.

Caso de Post-Filtrado: Sharing the Square

- Sharing the Square (2005): Interfaz e Interacción



Figure 1. Example usage of the system and screenshot showing a map that displays each user's location (1), thumbnail photos (2), recommended locations, web pages (3) and photos (4), and each user's recommendation list (5).


Caso de Post-Filtrado: Sharing the Square

- Databases: Adaptar resultados de las bases de datos dependiendo del contexto: Stephanidis (2007), Agrawal (2006), and Mokbel's CareDB (2009)

Query 2 Look for Mary's most preferable restaurants (in the current context).

The execution of Query 2 leads to the following subqueries (we suppose that $CS(\{Acropolis, sunny\})$):

- SELECT R.name, FL.score*
FROM Users U, Restaurants R, Fact_Location L
WHERE U.name = 'Mary' AND U.uid
AND R.rid = FL.rid AND L.lid = F
current_location = 'Acropolis';
and
- SELECT R.name, FW.score*
FROM Users U, Restaurants R, Fact_Weather FW
WHERE U.name = 'Mary' AND U.uid = FW.uid AND
R.rid = FW.rid AND current_weather = 'sunny';




Sistema donde Contexto es parte del Modelo

- Karatzoglou, A., Amatriain, X., Baltrunas, L., & Oliver, N. (2010, September). **Multiverse recommendation: n-dimensional tensor factorization for context-aware collaborative filtering**. In Proceedings of the fourth ACM conference on Recommender systems (pp. 79-86). ACM.


FM Tradicional

Find $U \in R^{n \times d}$ and $M \in R^{d \times m}$ so that $F = UM$

$$\text{minimize}_{U,M} L(F, Y) + \lambda \Omega(U, M)$$



Matriz -> Tensor



$$F_{ijk} = S \times_U U_{i*} \times_M M_{j*} \times_C C_{k*}$$

$$R[U, M, C, S] := L(F, Y) + \Omega[U, M, C] + \Omega[S]$$

$$\Omega[F] = \lambda_M \|M\|_F^2 + \lambda_U \|U\|_F^2 + \lambda_C \|C\|_F^2$$

$$\Omega[S] := \lambda_S \|S\|_F^2$$

Función de Pérdida

- Opción 1: Cuadrado del Error

$$l(f, y) = \frac{1}{2}(f - y)^2$$

$$L(F, Y) = \sum_i^n \sum_j^m l(f_{ij}, y_{ij})$$

- Opción 2: Error Absoluto

$$l(f, y) = |f - y|$$

$$L(F, Y) = \sum_i^n \sum_j^m l(f_{ij}, y_{ij})$$

Datasets / Evaluación

$$MAE = \frac{1}{K} \sum_{ijk}^{n,m,c} D_{ijk} |Y_{ijk} - F_{ijk}|$$

Data set	Users	Movies	Context Dim.	Ratings	Scale
Yahoo!	7642	11915	2	221K	1-5
Adom.	84	192	5	1464	1-13
Food	212	20	2	6360	1-5


Table: Data set statistics

Comparación con Otros Métodos


Pre-filtering based approach, (*G. Adomavicius et.al*), computes recommendations using *only* the ratings made in the same context as the target one

Item splitting method (*L. Baltrunas, F. Ricci*) which identifies items which have significant differences in their rating under different context situations.

Con/Sin Contexto



(a)



(b)

Figure: Comparison of matrix (no context) and tensor (context) factorization on the Adom and Food data.

Con/Sin Contexto II





Figure: Comparison of context-aware methods on the Yahoo! artificial data

Influencia de Información Contextual



Efecto en Otros Datatsets




Figure: Comparison of context-aware methods on the Adom data.




Figure: Comparison of context-aware methods on the Food data.

Caso de Estudio Modelado Contextual II

Linas Baltrunas, Bernd Ludwig, Stefan Peer, and Francesco Ricci. 2012. **Context relevance assessment and exploitation in mobile recommender systems.** Personal Ubiquitous Comput. 16, 5 (June 2012), 507-526. DOI=10.1007/s00779-011-0417-x

Rescate de Preferencias del Usuario

(user:ciccio)logout



Imagine that you are in Bolzano and you are making a plan for today. You are considering **to relax in a spa**. Please mark the conditions that would positively or negatively influence the decision to do that, or would have no effect.


		No effect	
Imagine that you are on a wellness trip:	☐	☐	☒
Imagine that it is a cold day:	☐	☒	☐
Imagine that it is raining:	☐	☐	☒

next...

Situation 1 of 5

Rating in Context

Castel Flavon - Haselburg



Category: castle

Introduction: Castel Flavon Haselburg nestles on a wooded hill slightly above Haslach, a quarter of the city of Bolzano. Built in late 12th century, still today it boasts some valuable frescoes.

Description: Castel Flavon Haselburg nestles on a wooded hill slightly above Haslach, a quarter of the city of Bolzano. Built in late 12th century, still today it boasts some valuable frescoes. It was recently renovated and the restaurant is open again. Address: Via Castel Flavon 48 Phone:0471 402130 Email: info@haselburg.it www: www.haselburg.it Opening hours: Tuesday-Saturday 11am-12pm, Sunday 11am-5pm, Monday closed.

Imagine you are in Bolzano and you are making plan for today

How likely is that you will visit Castel Flavon - Haselburg ☒ ☒ ☒ ☒ ☒

We want to know which circumstances influence your decision

Imagine that you are sad. How likely is that you will visit Castel Flavon - Haselburg: ☒ ☒ ☒ ☒ ☒

Imagine that you feel comfortable and happy. How likely is that you will visit Castel Flavon - Haselburg: ☒ ☒ ☒ ☒ ☒

Imagine that you can only use public transport. How likely is that you will visit Castel Flavon - Haselburg: ☒ ☒ ☒ ☒ ☒

Next

Contextos Usados

Table 1 Context factors used in the web survey

Context factor	Conditions	Context factor	Conditions	Context factor	Conditions	Context factor	Conditions
Budget	Budget traveler	Crowdedness	Not crowded	Companion	With girl/boyfriend	Season	Spring
	High spender		Crowded		With family		Summer
	Price for quality		Empty		With children		Autumn
Time of the day	Morning time		Health care		Alone		Winter
	Afternoon	Travel goal	Cultural experience		With friends	Transport	Public transport
	Night time		Scenic/landscape	Weather	Snowing		No means of transp.
Day of the week	Weekend		Education		Clear sky		Bicycle
	Working day		Hedonistic/fun		Sunny		Car
Distance to POI	Near by		Social event		Rainy	Temperature	Warm
	Far away		Religion		Cloudy		Cold
Knowledge About area	New to city		Activity/sport	Mood	Happy		Hot
	Citizen of the city		Visiting friends		Active	Time available	Half day
	Returning visitor		Business		Sad		More than a day
							One day

Opciones de la interfaz I

Distance to POI	☐ OFF	Alone
Temperature	☒ ON	Friends/Colleagues
Weather	☒ ON	Family ☒
Season	☐ OFF	Girlfriend/Boyfriend
Weekday	☐ OFF	Children
Time day	☐ OFF	
Crowdedness	☐ OFF >	
Companion	☒ ON >	



Opciones de la interfaz II



Fig. 9 Details for a suggestion

Opciones de la interfaz III






Fig. 8 Suggestions GUI

Resultados



(a) MAE of different models



(b) Precision and Recall of different methods

Fig. 6 Performance of different methods

Otro casos interesantes:

- Best paper ACM RecSys 2015: Augusto Q. Macedo, Leandro B. Marinho, and Rodrygo L.T. Santos. 2015. **Context-Aware Event Recommendation in Event-based Social Networks**. In Proceedings of the 9th ACM Conference on Recommender Systems (RecSys '15). ACM, New York, NY, USA, 123-130. DOI=<http://dx.doi.org/10.1145/2792838.2800187>
 - Slides: <http://www.slideshare.net/leandrobalby/recsys15-presentation>
- Paper a presentar en RecSys 2016: Christoph Trattner, Alexander Oberegger, Lukas Eberhard, Denis Parra and Leandro Balby Marinho. 2016. **Understanding the Impact of Weather for POI Recommendations**. ACM RecSys Workshop on Recommenders in Tourism.
 - [Slides](#)
- ¿Preguntas?

Referencias

- Anind K. Dey. 2001. Understanding and Using Context. Personal Ubiquitous Comput. 5, 1 (January 2001), 4-7. DOI=<http://dx.doi.org.ezproxy.puc.cl/10.1007/s007790170019>
- Adomavicius, G., Mobasher, B., Ricci, F. , & Tuzhilin, A. (2008) Context-Aware Recommender Systems. AAAI Magazine.
- Augusto Q. Macedo, Leandro B. Marinho, and Rodrygo L.T. Santos. 2015. **Context-Aware Event Recommendation in Event-based Social Networks**. In Proceedings of the 9th ACM Conference on Recommender Systems (RecSys '15). ACM, New York, NY, USA, 123-130. DOI=<http://dx.doi.org/10.1145/2792838.2800187>
- Christoph Trattner, Alexander Oberegger, Lukas Eberhard, Denis Parra and Leandro Balby Marinho. 2016. **Understanding the Impact of Weather for POI Recommendations**. ACM RecSys Workshop on Recommenders in Tourism